

+ contour length (in polymers)

The maximum end-to-end distance of a linear polymer chain.

For a single-strand polymer molecule, this usually means the end-to-end distance of the chain extended to the all-*trans* conformation. For chains with complex structure, only an approximate value of the contour length may be accessible. The sum of the lengths of all skeletal bonds of a single-strand polymer molecule is occasionally termed 'contour length'.

This use of this term is discouraged.

P.B. 50