

rotator phase transition

A transition from a fully-ordered crystal of globular or quasi-spherical molecules to a crystal that retains translational order but exhibits dynamic orientational disorder and is usually mechanically soft (plastic phase).

Example: The transition of CBr_4 to a plastic phase which exists from 319 to 365 K.

1994, 66, 589