

**spin-glass transition**

A *second-order transition* from a paramagnetic or ferromagnetic state to a spin-glass state in which spins from moment-bearing solute atoms become ordered randomly in a non-magnetic host such that the net magnetization of any region is zero.

Examples: Au-Fe, Cu-Mn and Mo-Fe

1994, 66, 591